PT Junction Blocks

20 Years working better together

Introducing Programmed Timber (PT) Junction Blocks.

Made using Solar Power

O




Sustainable

Forests

云



Programmed Timber



PT Junction Blocks

Programmed Timber provide timber products to a range of industries that allow the users to gain a true benefit by providing better utilisation of their material, capital and labour resources.

The commitment of regular and reliable supply over more than the past 2 decades have not only allowed customers to have an absolute manufacturing cost advantage but additionally confidence of availability throughout more volatile supply & demand cycles.

Junction Blocks form part of the Programmed Timber range of products supplied to the frame & truss plants as well for modular off-site building manufacturers.

What do we call a Junction Block?

Essentially a Junction Block is used as a separator between wall frame studs and are short in length.

Therefore, the critical elements of a Junction Block is their dimension accuracy and ability to be mechanically nailed without splintering. Although standard timber dimension cross sections are frequently used for Junction Blocks, other 'non standard' dimensions are required or will produce a better finished frame.

How will using a pre-cut bought in Junction Block improve my business?

Purchasing pre-cut Junction Blocks from Programmed Timber addresses the 3 primary elements of resource utilisation efficiency.

1. Material – The source material used in a Programmed timber Junction Block comes from an allocation of reliable domestic softwood resources that are not subject to structural framing supply availability or will affect supply of structural framing.

Specification

Dimensions:	= 90x30 = 65x35, 70x35, 85x35, 90x35 = 85x45, 90x45 = 88x55
Lengths:	 230mm, 290mm The Programmed Timber processing operation has the flexibility to custom produce other dimensions and lengths.
Treatment:	Untreated, H2F (88x55 Blue treated)
Packaging:	 Pieces per pack vary according to block dimension and length. Packs are regular industry size timber packs in width and height. Blocks are end-butted to make packs approximately 1.8 metres long. Packs are usually plastic wrapped for weather protection. Plastic can be left off to reduce disposals at plant.
Grading:	 Junction Blocks are not required to have a structural grade however, a visual override is in place during the processing to ensure all pieces are suitable for application.

2. Capital – The Programmed Timber processing operation is of significant scale and volume throughput. The capital commitment has been made by Programmed Timber to produce Junction Blocks significantly faster than what can be produced in an individual plant.

3. Labour – Often Junction Blocks are accumulated in a plant as a 'recovery' product from 'waste'. When done so the cost of each block is embarrassingly high compared to one precut. Successful active management of the high cost structural resource to reduce the paid for 'waste' enables plants to supplement with zero labour cost pre-cut Junction Blocks.

What you can rely on

Programmed Timber Junction Blocks are an integral part of our product range. This means our company ensures ongoing quality and availability expectations are continually met.

Inventory management and automated resupply options are available to our customer's for Junction Blocks and all other product.

Contact us today to learn more about our products and when we are delivering into your area.

Programmed Timber 44 Links Road St. Marys NSW 2760 Tel 02 9623 7866 contact@ptimbers.com.au www.ptimbers.com.au

